



CASEMIS Scheduled Imports

February 24, 2017

1. CASEMIS Scheduled Imports Overview

2. Configure CASEMIS Import

File Location Options

Data Files

Scheduled Process

Save

Import CASEMIS File

3. CASEMIS Students and Services Tables

4. CASEMIS Import Process

Change in 2015-2016 CASEMIS File Layout

*Import Process***

5. Completion Results Email**

** = New or updated information

CASEMIS Scheduled Imports Overview

Aeries Web Version can be utilized to schedule regular imports of CASEMIS Student Data and Student Services Data into the Aeries database. The CASEMIS Students (tableA) file and Services (tableB) file must be the ASCII text (.csv) formatted file with file headers as defined in the CASEMIS Technical Assistance Guide. Once the scheduled imports are set up, districts will need to ensure that the CASEMIS Student Data and CASEMIS Student Services Data files are refreshed prior to the next scheduled import, otherwise the same data files will be re-imported.

Configure CASEMIS Import

Aeries Web Version Administrators can access the **Configure CASEMIS Import** page in the **School Info / Imports and Exports** node of the Navigation Menu. This page defines where the CASEMIS files will be stored, the name of the files, and the scheduled day(s) and time for the import to run. There is also a button to import the CASEMIS files immediately. Once all selections have been made, click on the **SAVE** button.

2016-2017 Eagle Unified School District

CASEMIS Import Configuration

[Save](#)

File Location Options

CASEMIS files are stored on a Secure FTP

UNC Filepath:
Enter your network path in UNC format:

Data Files

Files to include in import: Student
Select which type of files to include in your CASEMIS import. Services

Student Data Filename:
Filename for the CASEMIS Student file you want to import.

Services Data Filename:
Filename for the CASEMIS Services file you want to import.

Scheduled Process

Time:
Time of day to send import on each selected day. Scheduled processes may begin up to 10 minutes after their scheduled value.

Days to run import:

Sunday
 Monday
 Tuesday

Email Address:
Send this import's status report to this Email

NOTE: Once the scheduled imports are set up, districts will need to ensure that the CASEMIS Student Data and CASEMIS Student Services Data files are refreshed prior to the next scheduled import, otherwise the same data files will be re-imported.

File Location Options

The location of the CASEMIS Students and Services files must be identified in the **CASEMIS Import Configuration** page.

The files can be stored in a Shared Folder within the district's network, or on a Secure FTP (sFTP) site.

In the below example the CASEMIS files are stored in a shared folder called "myshare" that resides on a server called "myserver".

File Location Options

CASEMIS files are stored on a Secure FTP

UNC Filepath:
Enter your network path in UNC format.

To use a secure FTP (sFTP) site select the **CASEMIS files are stored on a Secure FTP** option. The **UNC Filepath** will be replaced with the sFTP server and login information. Enter the sFTP Server Name or IP address, the port the sFTP server is using, the directory where the CASEMIS Students and Services files will be saved to, and a user name and password that has access to read the files.

File Location Options

CASEMIS files are stored on a Secure FTP

sFTP Server:
The sFTP server name or IP address

sFTP Port:
The port which the sFTP server is using. This should usually be 22 for sFTP which runs as a subsystem of SSH.

sFTP Import Directory:
The directory on the sFTP server where your import file(s) will reside. Leave blank to import from your home directory.

Username:
Username to use when accessing this sFTP server.

Password:
Password to use when accessing this sFTP server.

Confirm Password:
Please confirm the password above.

Data Files

After the File Location has been defined, the file names of the CASEMIS files that will be imported need to be entered. By default the CASEMIS Student Data (tableA) file will always be imported. To also import the CASEMIS Student Services Data (tableB) file, click on the **Services** option in the **Files to include in import**. Next enter the file names that will be used to identify the Student Data file and the Student Services Data file.

Data Files

Files to include in import: Student
Select which type of files to include in your CASEMIS import. Services

Student Data Filename:
Filename for the CASEMIS Student file you want to import.

Services Data Filename:
Filename for the CASEMIS Services file you want to import.

NOTE: The Student Data file will always be imported by default. The Student Services Data file may be imported if selected.

Scheduled Process

To automate the CASEMIS import on a weekly or daily basis, select the **Days** of the week and the **Time** of day to run the import process. The time can either be typed in or selected from the time dropdown.

Enter an email address in the **Email Address** field that will receive a completion report once the import process has finished. Multiple email addresses can be entered, separated by commas.

In the below example the Scheduled CASEMIS Import will run every Monday, Wednesday and Friday at 6:30 pm. An email with completion information will be sent to "my_email@example.com".

Scheduled Process

Days to run import:

- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday


Time:
Time of day to send import on each selected day. Scheduled processes may begin up to 10 minutes after their scheduled value.

Email Address:
Send this import's status report to this Email Address.

Status: **Enabled**

*Enabling the scheduled process will automatically import your CASEMIS file(s) from the defined FTP or UNC network path each week at the selected days and time.

By default the Scheduled CASEMIS import is **Disabled**. To turn on the scheduled process select the **Enable Scheduled Process** button.




Status: **Disabled**

Enable Scheduled Process

*Enabling the scheduled process will automatically import your CASEMIS file(s) from the defined FTP or UNC network path each week at the selected days and time.

After enabling the Scheduled CASEMIS import the **Status** will change to **Enabled** and the button will change to **Disable Scheduled Process** so that it can be turned on again when appropriate.



Scheduled Process

Days to run import:

- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday

Time: Time of day to send import on each selected day. Scheduled processes may begin up to 10 minutes after their scheduled value. 6:30 PM

Email Address: Send this import's status report to this Email Address. my_email@example.com


Status: **Enabled**

Disable Scheduled Process

*Enabling the scheduled process will automatically import your CASEMIS file(s) from the defined FTP or UNC network path each week at the selected days and time.

Save

After all selections have been made to the **CASEMIS Import Configuration** page, click on the **Save** button. A message will display briefly notifying you that the settings have been saved.




Save

Your options have been saved.

Import CASEMIS File

In some circumstances the CASEMIS import may need to be run immediately. Click on the **Import CASEMIS File** button to immediately run the CASEMIS import and send the completion results email to the Email address(es) defined on the **CASEMIS Import Configuration** page.



Import CASEMIS File

Import CASEMIS File

*This will run the import now, and send an email to the address specified in the scheduled process options.

CASEMIS Students and Services Tables

It is important that each data table and field contains all data with appropriate codes. Generally, **there are no optional data fields** in the CASEMIS data tables. The following are the CASEMIS tables and data contained in them for the 2016-17 school year.

Table A (Student Data Table) *shall* contain one record for each student found eligible for and received special education services. The unique identifier of a student record for a SELPA is derived by the combination of the *SELPA_CODE* and *STUDENT_ID* data Fields in the table.

Table A shall also contain one record for each child referred and evaluated but not eligible for special education or related services. (Data Field A-32, PLAN_TYPE, code 90)

Table A also contains one record for each child referred, found eligible, and did not receive special education and related services because parent declined services or child was parentally placed in private school where no ISP services were provided. (Data Field A-32, PLAN_TYPE, codes 70 and 80)

Table B (Student Services Data Table) *shall* contain **at least one record for each student** in Table A, except those students with a code 70, 80 or 90 in Data Field A-32, PLAN_TYPE. Table B may contain more than one record, one for each service received by the student.

It is important that each data table maintained by the LEA contains **all data Fields** with appropriate codes according to this structure and that the data files that will be imported follow the most current CASEMIS Technical Assistance Guide.

Below is a list of the CASEMIS fields for TableA and TableB and the corresponding Aeries fields:

CASEMIS Table & Field #	CASEMIS Field Name	Aeries Table/Field	Aeries Field Name	Update CSE record?
A-1	REPT_DATE			N
A-2	SELPA_CODE	CSE.SE	Selpa Code	Y
A-3	SELPA_FROM	CSE.SF	Selpa From	Y
A-4	DIST_SERV	CSE.DS	District of Service	Y
A-5	DIST_RESI	CSE.DR	District of Residence	Y
A-6	SCH_CODE	CSE.SS	School Code	Y
A-7	SCH_TYPE	CSE.TY	School Type	Y
A-8	LAST_NAME			used for matching to STU record, does not update STU
A-9	FIRST_NAME			used for matching to STU record, does not update STU
A-10	STUDENT_ID**			used for matching to STU record, does not update STU
A-11	SSID			used for matching to STU record, does not update STU
A-12	FILLER			N
A-13	BIRTHDATE			used for matching STU record, does not update STU
A-14	GENDER			does not update STU
A-15	ETHNICITY	CSE.ETH		Y
A-16	RACE1	CSE.EC		Y

CASEMIS Table & Field #	CASEMIS Field Name	Aeries Table/Field	Aeries Field Name	Update CSE record?
A-17	RACE2			does not update STU
A-18	RACE3			does not update STU
A-19	EL	CSE.ELL	ELL	Y
A-20	NATIV_LANG	CSE.NL	Native Language	Y
A-21	EARLY_INT	CSE.EI	Early Int	Y
A-22	IN_RFRDATE	CSE.IRD	Referral Date	Y - On Infant Data tab
A-23	IN_RFRBY	CSE.IRB	Refer By	Y - On Infant Data tab
A-24	IN_PRNTCST	CSE.IPC	Parent Consent	Y - On Infant Data tab
A-25	IN_INTEVAL	CSE.IIE	Initial Evaluation	Y - On Infant Data tab
A-26	REFR_DATE	CSE.RD	Referral Dt	Y
A-27	REFR_BY	CSE.RB	Refer By	Y
A-28	PRNT_CSNT	CSE.PC	Parent Consent	Y
A-29	INIT_EVAL	CSE.IE	Initial Evaluation	Y
A-30	EVLDELAY	CSE.EDL	Ini Eval Delay	Y
A-31	TBDLAY	CSE.BDL	Eval after 3rd DB	Y
A-32	PLAN_TYPE	CSE.PT	Plan Type	Y
A-33	MIGRANT	CSE.MI	Migrant	Y
A-34	RESID_STAT	CSE.RS	Residential Status	Y
A-35	ENTRY_DATE	CSE.ED	Entry Date	Y
A-36	LAST_IEP	CSE.LI	Last IEP	Y
A-37	LAST_EVAL	CSE.LA	Last Evaluation	Y
A-38	DISABILIT1	CSE.DI	Disability	Y
A-39	DISABILIT2	CSE.DI2	Disability2	Y
A-40	SOLE_LOW	CSE.SL	Sole Low	Y
A-41	INFANT_SET	CSE.IS	Infant Setting	Y - On Infant Data tab
A-42	FEDSET_INF	CSE.FI	Fed Infant	Y
A-43	FEDSET_PRS	CSE.FP	Fed Preschl	Y
A-44	FEDSET_SCH	CSE.FS	Fed Schl Age	Y
A-45	IN_REGCLS	CSE.IRC	In Reg Class%	Y
A-46	GRADE			does not update STU
A-47	TRAN_REG1	CSE.TR1	Tran Reg 1	Y - On Transition tab
A-48	TRAN_REG2	CSE.TR2	Tran Reg 2	Y - On Transition tab
A-49	TRAN_REG3	CSE.TR3	Tran Reg 3	Y - On Transition tab
A-50	TRAN_REG4	CSE.TR4	Tran Reg 4	Y - On Transition tab
A-51	TRAN_REG5	CSE.TR5	Tran Reg 5	Y - On Transition tab
A-52	TRAN_REG6	CSE.TR6	Tran Reg 6	Y - On Transition tab
A-53	TRAN_REG7	CSE.TR7	Tran Reg 7	Y - On Transition tab
A-54	TRAN_REG8	CSE.TR8	Tran Reg 8	Y - On Transition tab
A-55	SPEC_TRANS	CSE.ST	Spec Trans	Y
A-56	PARINPUT	CSE.PI	Parent Input	Y
A-57	FILLER1 **	CSE.PA5	(CAHSEE)	Non-blanks will update blank CSE.PA5 - No longer used in CASEMIS

CASEMIS Table & Field #	CASEMIS Field Name	Aeries Table/Field	Aeries Field Name	Update CSE record?
A-58	FILLER2 **	CSE.PA3	(Math)	Non-blanks will update blank CSE.PA3 - No longer used in CASEMIS
A-59	FILLER3 **	CSE.PA4	(State Science)	Non-blanks will update blank CSE.PA4 - No longer used in CASEMIS
A-60	FILLER4 **	CSE.PA2	(ELA)	Non-blanks will update blank CSE.PA2 - No longer used in CASEMIS
A-61	FILLER5 **	CSE.PA6	(History)	Non-blanks will update blank CSE.PA6 - No longer used in CASEMIS
A-62	FILLER6 **	CSE.PA7	(Writing)	Non-blanks will update blank CSE.PA7 - No longer used in CASEMIS
A-63	GRAD_PLAN	CSE.GP	Grad Plan	Y
A-64	EXIT_DATE	CSE.XD	Exit Date	Y
A-65	EXIT_RESON	CSE.XR	Exit Reason	Y
A-66	IEPDELAY	CSE.IDL	Rsn IEP Untimely	Y
A-67	TRIDELAY	CSE.TDL	Rsn 3nial Untimely	Y

****NOTE: The following field names are also acceptable for these fields:**

A-10	SEIS_ID
A-57	PARTI_CAH
A-58	PARTI_MATH
A-59	PARTI_SCI
A-60	PARTI_ELA
A-61	PARTI_HIS
A-62	PARTI_WRTG

CASEMIS Table & Field #	CASEMIS Field Name	Aeries Table/Field	Aeries Field Name	Update CSV record?
B-1	REPT_DATE			N
B-2	SELPA_CODE			N
B-3	STUDENT_ID			used for matching to STU record, does not update STU
B-4	SSID			used for matching to STU record, does not update STU
B-5	SERVICE	CSV.CD	Service	Y
B-6	PROVIDER	CSV.PR	Provider	Y
B-7	LOCATION	CSV.LO	Location	Y
B-8	FREQUENCY	CSV.FR	Freq	Y
B-9	DURATION	CSV.DU	Duration	Y

NOTE: The Students (tableA) and Services (tableB) import files must use the same headers as defined in the most recent CASEMIS Technical Assistance Guide.

CASEMIS Import Process

Change in 2015-2016 CASEMIS File Layout

The **CASEMIS** file layout as of the 2015-16 school year no longer contains the State Test Participation fields (fields A-57 through A-62) in the CASEMIS Student Data (Table A) file. These fields are now Filler fields. Since the **CSE** Special Ed Participation in State Wide Assessment fields are still necessary for various Aeries reports (such as the CAASPP Student Test Assignment Extract) and may need to be hand-entered, we will process the CASEMIS import in the following manner:

- If the CASEMIS Students (Table A) file has blanks or no value in the A-57 – A-62 filler fields, then the **CSE** Participation fields will not be changed (so hand-entered data will not be removed).
- If the CASEMIS Students (Table A) file has non-blank values in the A-57 – A-62 filler fields, then the **CSE** Participation fields will be updated with the values in the CASEMIS file.

Import Process

The CASEMIS Import process will use the **Student Data** file and **Student Services** file from the location defined in the **CASEMIS Import Configuration** page. It is important to remember to refresh these locations with new files before the next scheduled run, otherwise the same files will be processed over and over again.

Before processing the student records in either file, the system will validate the file headers for missing CASEMIS columns or mis-named CASEMIS columns. See the **CASEMIS Students and Services Tables** section of this document for the correct column headers. If the column headers for the key fields (LAST_NAME, FIRST_NAME, STUDENT_ID or SSID) for the Students table are incorrect processing will stop and a completion email will be sent listing the incorrect headers. The headers will need to be corrected before the files can be imported.

A	B
1 OriginalLineNumber	Error
2	Invalid headers were found. Please see the CASEMIS technical assistance guide (http://www.cde.ca.gov/sp/se/ds/casemis.asp) for valid header information.
3	The following header names are invalid: 'LASTNAME', 'FIRSTNAME', 'SEISID', 'SID', 'INRFRBY', 'MIGRNT',

If other column headers are incorrect, the files will be imported but the fields with incorrect field headers will not be updated with the new information. An Errors file will be generated listing the fields that are not updated for each record.

A	B
1 OriginalLine	Error
2	WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide (http://www.cde.ca.gov/sp/se/ds/casemis.asp) for valid header information. The following header names are invalid: 'INRFRBY', 'MIGRNT',
3	WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide (http://www.cde.ca.gov/sp/se/ds/casemis.asp) for valid header information. The following header names are invalid: 'INRFRBY', 'MIGRNT',
4	WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide (http://www.cde.ca.gov/sp/se/ds/casemis.asp) for valid header information. The following header names are invalid: 'INRFRBY', 'MIGRNT',
5	WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide

When the Student Data file is processed the system will use the SSID data in the file to match with a student in the Aeries system. If the CASEMIS Student Data file record does not have an SSID, then it will attempt to match on Student Last Name, Student First Name and Birthdate.

- Once a match is found the student's Special Ed (**CSE**) record is added/updated with the data in the CASEMIS Student Data file and the Last Updated (**CSE.LU**) field is updated with the date the record processed. The student's identifying information is also added to the **CASEMIS_TypeA_ImportedRecords.csv** report.
- If no match can be made, then the student's identifying information is added to the **CASEMIS_TypeA_UnmatchedRecords.csv** report.

- If duplicate records exist in the CASEMIS Student Data file (i.e., two records with the same SSID) then neither record will be imported into the Aeries system. Identifying information for both records will be added to the **CASEMIS_TypeA_Duplicates.csv** report.

When the Student Services Data file is processed the system will utilize the CASEMIS Student Data file and Aeries to match the Student Services records to the students in the Aeries system.

- Once a match is found the student’s Special Ed Services (**CSV**) records for the year you are processing (normally this will be the current year) will be deleted and the services from the CASEMIS Student Services data file will be added. The Services Start Date (**CSV.DT**) field is updated with either the first day of school in the District Calendar (for School 0) or with 7/1 of the school year the database is in (normally this will be current school year) if the district calendar is not set up. The record’s identifying information is also added to the **CASEMIS_TypeB_ImportedRecords.csv** report.
- If no match can be made, then the record’s identifying information is added to the **CASEMIS_TypeB_UnmatchedRecords.csv** report.


NOTE: The Student Data file secondary match on student name and birthdate will attempt to match the 15-character CASEMIS Student Last Name and Student First Name fields with the first 15 characters of the Aeries Student Last Name and Student First Name fields.

NOTE: Support has been added during the import process to accept several common date formats for the date fields. The following formats are valid: “yyyymmdd”, “yyyy-mm-dd”, “mm/dd/yyyy”, and “m/d/yyyy”

Completion Results Email

Once the CASEMIS import has completed an email will be sent to the email address(es) defined in the **CASEMIS Import Configuration** page.

The body of the email will report summary information such as the date and time the CASEMIS Import completed, and the number of records matched, unmatched, duplicate records, and records with errors. The email will also contain completion report attachments for the CASEMIS Student Data and CASEMIS Student Services Data files.



- **CASEMIS_TypeA_ImportedRecords.csv** – lists all of the students from the CASEMIS Student Data file that were matched to the students in the Aeries system. The **OriginalLineNumber** is the record number in the CASEMIS Student Data file. The **SSID, First Name, Last Name, Birthdate** and **Grade** are from the CASEMIS Student Data file. The **StudentID** is the permanent ID of the student that the record was matched to in Aeries.

	A	B	C	D	E	F	G
1	OriginalLineNumber	SSID	StudentID	FirstName	LastName	Birthdate	Grade
2	598	1234567890	99400001	Allan	Abbott	19961118	12

- **CASEMIS_TypeA_UnmatchedRecords.csv** – lists all of the students from the CASEMIS Student Data file that could not be matched to the students in the Aeries system. The **OriginalLineNumber** is the record number in the CASEMIS Student Data file. The **SSID, StudentID, FirstName, LastName, Birthdate** and **Grade** are from the CASEMIS Student Data file.

	A	B	C	D	E	F	G
1	OriginalLineNumber	SSID	StudentID	FirstName	LastName	Birthdate	Grade
2	261		NULL	Alice	Abdelnour	20000413	9

- **CASEMIS_TypeA_Duplicates.csv** – lists students from the CASEMIS Student Data file that have duplicate records and cannot be processed. Corrections should be made in the system that houses the CASEMIS data and new CASEMIS data files should be extracted so that these students can be matched in the Aeries system. The **OriginalLineNumber** is the record number in the CASEMIS Student Data file. The **SSID, First Name, Last Name, Birthdate** and **Grade** are from the CASEMIS Student Data file.

In the below example two students have the same SSID in the CASEMIS Student Data file and cannot be matched in the Aeries system.

	A	B	C	D	E	F	G
1	OriginalLineNumber	SSID	StudentID	FirstName	LastName	Birthdate	Grade
2	424	0099400003	NULL	Alice	Abdo	20000721	9
3	227	0099400003	NULL	Ayrianna	Abea	19970905	12

- **CASEMIS_TypeA_NotInFile.csv** – lists the remaining Special Ed students in the Special Ed (CSE) table that were not updated during the CASEMIS Import. This will include students with CSE records that have a Primary Disability (**CSE.DI**), do not have a current Last Updated date (**CSE.LU**), and have either no Exit Date or an Exit Date > the day the CASEMIS Import was processed (**CSE.XD**). The **SSID, First Name, Last Name, Birthdate** and **Grade** are from the Aeries system.

	A	B	C	D	E	F
1	SSID	StudentID	FirstName	LastName	Birthdate	Grade
2	0099400006	99400006	Tanya	Abejon	2/26/1999	

- **CASEMIS_TypeA_Errors.csv** – if the header record has missing or mis-named key fields (LAST_NAME, FIRST_NAME, STUDENT_ID or SSID) they will be listed and the import process will stop. The headers will need to be corrected before the file can be imported. If the header record has missing or mis-named non-key fields processing will continue, but a record will be added to the Errors file with the incorrect field name. Data will not be updated for field with incorrect field names. For files with a correct header this report will also list any records that were not processed because of an error. These records will need to be checked and the error resolved. The **OriginalLineNumber** is the record number in the CASEMIS Student Data file.

	A	B
1	OriginalLine	Error
2		WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide (http://www.cde.ca.gov/sp/se/ds/casemis.asp) for valid header information. The following header names are invalid: 'INRFRBY', 'MIGRNT',
3		WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide (http://www.cde.ca.gov/sp/se/ds/casemis.asp) for valid header information. The following header names are invalid: 'INRFRBY', 'MIGRNT',
4		WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide (http://www.cde.ca.gov/sp/se/ds/casemis.asp) for valid header information. The following header names are invalid: 'INRFRBY', 'MIGRNT',
		WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide

	A	B	C	D	E
1	OriginalLineNumber	Error			
2		46 Data error	please review this record.		
3		180 Data error	please review this record.		
4		68 Data error	please review this record.		

- **CASEMIS_TypeB_ImportedRecords.csv** – lists all of the services for the students from the CASEMIS Student Services Data file that were matched to the students in the Aeries system. The **OriginalLineNumber** is the record number in the CASEMIS Student Services Data file. The **SSID**, **StudentID** and **Service** are from the CASEMIS Student Services Data file.

	A	B	C	D
1	OriginalLineNumber	SSID	StudentID	Service
2		2991	1234567890	80701 515
3		2990	1234567890	80701 415

- **CASEMIS_TypeB_UnmatchedRecords.csv** – lists the services for the students from the CASEMIS Student Services Data file that could not be matched to the students in the Aeries system. The **OriginalLineNumber** is the record number in the CASEMIS Student Services Data file. The **SSID**, **StudentID** and **Service** are from the CASEMIS Student Services Data file.

	A	B	C	D
1	OriginalLineNumber	SSID	StudentID	Service
2		3016	0099400003	73468 820
3		3015	0099400003	703142 840
4		3014	0099400003	703142 820
5		3013	0099400003	703142 330
6		3012	0099400003	703142 415
7		3011	0099400003	703142 530

- **CASEMIS_TypeB_Errors.csv** –if the header record has missing or mis-named fields they will be listed and the data will not be updated for those fields.

	A	B
1	OriginalLineNumber	Error
2		WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide (http://www.cde.ca.gov/sp/se/ds/casemis.asp) for valid header information. The following header names are invalid: 'Serv',
3		WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide (http://www.cde.ca.gov/sp/se/ds/casemis.asp) for valid header information. The following header names are invalid: 'Serv',
		WARNING: Invalid headers were found. Data in these fields did not import! Please see the CASEMIS technical assistance guide