TK/K-12 CONDITIONAL ENTRY DECISION TOOL

For Determining if a Child Entering Transitional Kindergarten, Kindergarten, Elementary, or Secondary School is:

Up-to-Date on Immunizations

Or

Missing One or More Immunizations but Qualifies for Conditional Entry
Or

Missing One or More Immunizations and Requires Exclusion from School

Communicable Disease Prevention Unit & Immunization Program
Population Health Division
San Francisco Department of Public Health



How to Use this Tool

This tool is designed to assist California public and private school personnel in evaluating immunization records to determine whether children qualify for Transitional Kindergarten through Grade 12 school entry based on their immunization status.

The tool is based on California School Immunization Law

- CALIFORNIA CODE OF REGULATIONS TITLE 17, DIVISION 1, CHAPTER 4 http://eziz.org/assets/docs/IMM-1080.pdf
- CALIFORNIA HEALTH AND SAFETY CODE SECTIONS 120325-120380
- Step 1: Transfer the child's immunization records to the California School Immunization Record ("Blue Card")

 Available at: http://www.cdph.ca.gov/pubsforms/forms/CtrldForms/cdph286.pdf
- Step 2: Determine whether the child has a valid Personal Belief Exemption, Temporary Medical Exemption, or Permanent Medical Exemption See details at: http://www.shotsforschool.org/

Step 3: If the child does not have a valid Exemption, use this tool to determine whether the child is

- Up To Date on Immunizations
- Missing One or More Immunizations But Qualifies for Conditional Entry
- Missing One or More Immunizations But Does Not Qualify for Conditional Entry and Therefore Requires Exclusion from School

For each of the immunizations listed below, find the child's age/grade group. Then follow instructions starting with the top line in order to determine the child's status.

POLIO VACCINE			
AGES 4-6			
Note school entry date, birthdate, and da	ites of polio immunizations		
≥ 4 doses prior to school entry date?			
Yes → Up to Date			
No → How many total doses ar	No → How many total doses and when was the most recent dose given?		
0 doses → Exclude (nee	ds 1 st dose before entry)		
1 dose \rightarrow was given < 10	weeks before school entry \rightarrow Conditional Er	etry (2^{nd} dose due ≥ 6 weeks and ≤ 10 weeks after 1^{st})	
	weeks before school entry \rightarrow Exclude (need	• •	
		pnditional Entry (3 rd dose due \geq 6 weeks \leq 12 months after 2 nd)	
	given \geq 12 months before school entry $ ightarrow$ Exc	lude (needs 3 rd dose before entry)	
	given on or after 4^{th} birthday $\rightarrow Up$ to Date	9	
3 doses \rightarrow 3 rd dose was §	given before 4^{th} birthday $ ightarrow$ Exclude (n	eeds 4 th dose before entry)	
	1050 - 4-		
Nieto selegal autoridate hinthidate and de	AGES 7-17		
Note school entry date, birthdate, and da ≥ 4 doses prior to school entry date?	ites of polio immunizations		
Yes → Up to Date			
•			
· · · · · · · · · · · · · · · · · · ·	nd when was the most recent dose given?		
0 doses → Exclude (nee		· (and I I I I I I I I I I I I I I I I I I I	
		arry (2 nd dose due \geq 6 weeks and \leq 10 weeks after 1 st)	
<u> </u>	weeks before school entry → Exclude (need	• • • • • • • • • • • • • • • • • • • •	
•	•	pnditional Entry (3 rd dose due \geq 6 weeks \leq 12 months after 2 nd)	
	given \geq 12 months before school entry \rightarrow Exc		
3 doses \rightarrow 3 rd dose was given on or after 2 nd birthday \rightarrow Up to Date			
3 doses \rightarrow 3'' dose was g	given before 2^{nd} birthday \rightarrow Exclude (n	eeds 4 th dose before entry)	
Qualifying Vaccines	Generic Name(s)	Brand Name(s)	
Qualitying vaccines	OPV (oral polio)	none	
	IPV (injectable polio)	IPOL	
	DTaP-IPV	Kinrix, Quadracel	
	DTaP-HepB-IPV	Pediarix	
	DTaP-IPV-Hib	Pentacel	

DIPHTHERIA, TETANUS, AND PERTUSSIS VACCINE		
AGES 4-6 ENTERING SCHOOL AT TK/K or ABOVE		
Note school entry date, birthdate, and dates of diphtheria, tetanus, and pertussis immunizations		
≥ 5 doses prior to school entry date?		
Yes → Up to Date		
No \rightarrow How many total doses and when was the most recent dose given?		
0 doses \rightarrow Exclude (needs 1 st dose before entry)		
1 dose \rightarrow was given < 8 weeks before school entry \rightarrow Conditional Entry (2 nd dose due \geq 4 weeks and \leq 8 weeks after 1 st)		
1 dose \rightarrow was given \geq 8 weeks before school entry \rightarrow Exclude (needs 2 nd dose before entry)		
2 doses \rightarrow 2 nd dose was given < 8 weeks before school entry \rightarrow Conditional Entry (3 rd dose due \geq 4 weeks and \leq 8 weeks after 2 nd)		
2 doses \rightarrow 2 nd dose was given \geq 8 weeks before school entry \rightarrow Exclude (needs 3 rd dose before entry)		
3 doses \rightarrow 3 rd dose was given < 12 months before school entry \rightarrow Conditional Entry (4 th dose due \geq 6 months and \leq 12 months after 3	3 rd)	
3 doses \rightarrow 3 rd dose was given \geq 12 months before school entry \rightarrow Exclude (needs 4 th dose before entry)		
4 doses, 4^{th} dose given on or after 4^{th} birthday \rightarrow Up to Date		
4 doses, 4^{th} dose given before 4^{th} birthday \rightarrow Exclude (needs 5^{th} dose before entry)		
AGES 7-17 ENTERING SCHOOL AT GRADE 6 OR BELOW		
Note school entry date, birthdate, grade level, and dates of diphtheria, tetanus, and pertussis immunizations		
≥ 4 doses prior to school entry date?		
Yes → Up to Date		
No \rightarrow How many total doses and when was the most recent dose given?		
0 doses \rightarrow Exclude (needs 1 st dose before entry)		
1 dose \rightarrow was given < 8 weeks before school entry \rightarrow Conditional Entry (2 nd dose due \geq 4 weeks and \leq 8 weeks after 1 st)		
1 dose \rightarrow was given \geq 8 weeks before school entry \rightarrow Exclude (needs 2 nd dose before entry)		
2 doses \rightarrow 2 nd dose was given < 12 months before school entry \rightarrow Conditional Entry (3 rd dose due \geq 6 months and \leq 12 months after 2 nd)		
2 doses \rightarrow 2 nd dose was given \geq 12 months before school entry \rightarrow Exclude (needs 3 rd dose before entry)		
3 doses \rightarrow 3 rd dose was given before 2 nd birthday \rightarrow Exclude (needs 4 th dose before entry)		
3 doses \rightarrow 3 rd dose was given on or after 2 nd birthday \rightarrow Up to Date		

DIPHTHERIA, TETANUS, AND PERTUSSIS VACCINE (cont'd)		
	AGES 7-17 ENTERING SCHOOL AT GRADE 7 AND U	Р
Note school entry date, birthdate, grade level, and dates of diphtheria, tetanus, and pertussis immunizations		
How many total doses and when was the most red	ent dose given?	
0 doses → Exclude (needs 1 st dose	e before entry)	
1 dose → was given < 8 weeks bef	ore school entry → Conditional Entry (2 nd dose due	≥ 4 weeks and ≤ 8 weeks after 1 st)
1 dose \rightarrow was given \geq 8 weeks bef	ore school entry → Exclude (needs 2 nd dose before	entry)
2 doses \rightarrow 2 nd dose was given < 12	months before school entry → Conditional Entry (3^{rd} dose* due \geq 6 months and \leq 12 months after 2^{nd})
2 doses \rightarrow 2 nd dose was given \geq 12	months before school entry \rightarrow Exclude (needs 3 rd)	dose before entry)
≥ 3 doses → last dose was given b	efore 7 th birthday → Exclude (needs pertussis-conta	ining dose* before entry)
≥ 3 doses \rightarrow last dose was given on or after 7 th birthday as Td or DT \rightarrow Exclude (needs pertussis-containing dose* before entry)		
	or after 7 th birthday as Tdap, DTP, or DTaP \rightarrow Up to	
* pertussis-containing vaccines: Tdap, DTP, or DTa	aP	
Qualifying Vaccines	Generic Name(s)	Brand Name(s)
	DTaP (Diphtheria, Tetanus, acellular Pertussis)	Daptacel, Infanrix
	DT	none
	DTP	none
	DTaP-IPV	Kinrix, Quadracel
	DTaP-HepB-IPV	Pediarix
	DTaP-IPV-Hib	Pentacel
	Td (Tetanus, diphtheria)	Decavac, Tenivac
	Tdap (Tetanus, diphtheria, acellular pertussis)	Boostrix, Adacel

MEASLES, MUMPS, RUBELLA (MMR) VACCINE				
AGES 4-6				
Note school entry date, birthdate, and dates of r	neasles, mumps, rubella immunizations			
≥ 2 doses given (a) On or after 1 st birthday and				
(b) Prior to school entry date?				
Yes*→ Up to Date	Yes*→ Up to Date			
No → How many total doses were give	en after 1 st birthday <u>and</u> prior to school entry date	?		
0 doses → Exclude (needs 1 st va	lid dose before entry)			
1 dose → was given < 3 months	before school entry → Conditional Entry (2 nd dos	e due ≥ 1 month and ≤ 3 months after 1^{st})		
1 dose \rightarrow was given \geq 3 months	before school entry → Exclude (needs 2 nd dose be	efore entry)		
*2 measles doses, 1 rubella dose, and 1 mumps	dose also meet this requirement			
	AGES 7-17 ENTERING AT OTHER THAN 7 TH GRADI			
Note school entry date, birthdate, and dates of r	neasles, mumps, rubella immunizations			
≥ 1 dose given (a) After 1 st birthday <u>and</u>				
(b) Prior to school entry date?				
Yes** → Up to Date				
No → Exclude (needs 1 st valid dose be	fore entry)			
**1 measles dose and 1 rubella dose also meet	this requirement (mumps vaccination is not requ	uired)		
	ENTERING AT OR ADVANCING INTO 7 TH GRADE			
Note school entry date, birthdate, and dates of r	measles, mumps, rubella immunizations			
≥ 2 doses given (a) On or after 1 st birthday and				
(b) Prior to school entry date?				
Yes*** → Up to Date				
	en after 1 st birthday <u>and</u> prior to school entry date	?		
0 doses \rightarrow Exclude (needs 1 st va				
	before school entry \rightarrow Conditional Entry (2 nd dose			
1 dose \rightarrow was given \geq 3 months	before school entry \rightarrow Exclude (needs 2 nd dose be	efore entry)		
***2 measles doses and 1 rubella dose also meet this requirement (mumps vaccination is not required)				
Qualifying Vaccines	Generic Name(s)	Brand Name(s)		
	MMR (measles, mumps, rubella)	M-M-R II		
	MMRV (measles, mumps, rubella, varicella)	ProQuad		
	Measles	Attenuvax		
	Mumps	Mumpsvax		
	Rubella	Meruvax		

HEPATITIS B VACCINE				
AGES 4-6 ENTERING TK/K				
	(Not Required for Entry Above K, unless Age 4-6 and Entering 1st Grade with K skipped)			
Note school ent	Note school entry date, birthdate, and dates of hepatitis B immunizations			
≥ 3 doses prior	≥ 3 doses prior to school entry date?			
Yes →	Yes → Up to Date			
$No \rightarrow$	No → How many total doses and when was the most recent dose given?			
	0 doses \rightarrow Exclude (needs 1 st dose before entry)			
	1 dose \rightarrow was given < 2 months before school entry \rightarrow Conditional Entry (2 nd dose due > 1 month and < 2 months after 1 st)			
	1 dose \rightarrow was given > 2 months before school entry \rightarrow Exclude (needs 2^{nd} dose before entry)			
2 doses \rightarrow 2 nd dose was given < 6 months before school entry \rightarrow Conditional Entry				
$(3^{rd} \text{ dose due } \ge 2 \text{ months and } \le 6 \text{ months after } 2^{nd} \text{ and } \ge 4 \text{ months after } 1^{st})$				
2 doses \rightarrow 2 nd dose was given \geq 6 months before school entry \rightarrow Exclude (needs 3 rd dose before entry)				
Qualifying Vaco	cines	Generic Name(s)	Brand Name(s)	
		НерВ	Engerix-B, Recombivax	
		DTaP-HepB-IPV	Pediarix	

VARICELLA VACCINE		
	AGES 4-12	
Note school entry date and dates of varicella i	mmunizations	
≥ 1 dose given prior to school entry date?		
Yes → Up to Date		
No → Exclude (needs 1 dose before	entry)	
	AGES 13-17	
Note school entry date and dates of varicella i	mmunizations	
≥ 2 doses given prior to school entry date?		
Yes → Up to Date		
No → How many total doses were g	iven prior to school entry date?	
0 doses → Exclude (needs 1 st	valid dose before entry)	
1 dose → was given < 3 mont	ns before school entry → Conditional Entry (2 nd dos	e due \geq 1 month and \leq 3 months after 1 st)
1 dose \rightarrow was given \geq 3 months before school entry \rightarrow Exclude (needs 2^{nd} dose before entry)		
Qualifying Vaccines	Generic Name(s)	Brand Name(s)
	Varicella	Varivax
	MMRV (measles, mumps, rubella, varicella)	ProQuad